


**Manufacturers & Suppliers of
Flame Proof Electrical Products & LED Lighting**

Praxon Industries LLP is a leading manufacturer and supplier of premium Flame-Proof Electrical Products, Flame-Proof Instrumentation Equipment, and Industrial Lighting Solutions. Headquartered in Vadodara, Gujarat, we supply our products across India, serving industries that demand high safety, durability, and certified performance. Industries operating in areas with flammable gases, vapours, or dust rely on equipment that meets uncompromising safety standards. Our products are engineered and tested to comply with national and international regulations, ensuring long-term durability and dependable protection. We proudly serve a wide range of sectors including Oil & Gas, Petrochemicals, Chemicals, Pharmaceuticals, Fertilizers, Mining, Power Generation, Engineering, and Process Industries.

At Praxon Industries LLP, precision manufacturing and strict quality control are at the core of our operations. Our team focuses on continuous innovation, advanced engineering, and customer-centric service delivering solutions that enhance safety, productivity, and operational efficiency. With reliability as our foundation, Praxon Industries LLP strives to be the preferred partner for industries seeking world-class flame-proof electrical and industrial lighting solutions.



Flame Proof Lighting Products



FLP/WP Well Glass Wire Guard

Model: PRXFLPWG
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 30W–60W



FLP/WP Well Glass Neo

Model: PRXFLPWGN
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 30W–45W



FLP/WP Well Glass Sunflower

Model: PRXFLPSF
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 30W–90W



FLP/WP Clean Room 2X1

Model: PRXFLPCR
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 30W–80W



FLP/WP Clean Room 1X1

Model: PRXFLPCSSQ
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 20W–45W



FLP/WP Reactor Vessel Lamp

Model: PRXFLPRVL
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 12W–20W



FLP/WP Emergency Light

Model: PRXFLPEL
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 10W–20W



FLP/WP Bulkhead Rectangle

Model: PRXFLPBHRE
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 30W–60W



FLP/WP Bulkhead Round

Model: PRXFLPBHR
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 30W–45W



FLP/WP Tubelight

Model: PRXFLPTL
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 20W–40W



FLP/WP Street Light

Model: PRXFLPSL
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 45W–150W



FLP/WP Flood Light

Model: PRXFLPFL
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Power Range: 45W–180W

Flame Proof Control Products



FLP DOL Starter

Model: PRXFLPDS.....Series
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC



FLP Clean Room Push Button

Model: PRXFLPCLPB
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC



FLP Clean Room Rotary Switch

Model: PRXFLPCLRS.....Series
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Rating: 16A / 25A / 32A / 240-440V



FLP Exhaust Fan

Model: PRXFLPEF
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Range: 12" / 15" / 18" / 24"
Power: 230/415V / 1440 RPM



FLP Wall Mount Fan

Model: PRXFLPWF
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Range: 18" / 24" / 30"
Power: 230/415V / 1440 RPM



FLP Pedestal Fan

Model: PRXFLPPF
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Range: 18" / 24" / 30"
Power: 230/415V / 1440 RPM



FLP Control Panel (Customised)

Model: PRXFLPCP
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC



FLP Distribution Board (Customised)

Model: PRXFLPDB
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC



FLP Push Button

Model: PRXFLPPB... Series
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Variants: On/Off, Start Only, Stop Only, With Key, With Indicator

Flame Proof Control Products



FLP Push Button (Direct Entry)

Model: PRXFLPPBD
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC



FLP Rotary Switch

Model: PRXFLPRS... Series
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Rating: 16A / 25A / 32A / 240-440V



FLP Switch Socket

Model: PRXFLPSS... Series
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Rating: 16A / 25A / 32A / 240-440V



FLP Junction Box

Model: PRXFLPJB... Series
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Size Options: 100/150/200/300mm Dia
Variants: 4-Way, 6-Way, 8-Way, Multiple Options



FLP Hooter

Model: PRXFLPH... Series
Protection: IP65/66
Area Classification: Zone 1 & 2
Gas Group: IIA, IIB & IIC
Variants: Normal / With Acknowledge Button / With Flasher

Flame Proof Instrumentation Products



FLP Temperature Controller

Model: PRXFLPTC



FLP Temperature Indicator

Model: PRXFLPTI



FLP Dual Temperature Indicator

Model: PRXFLPDTI

Flame Proof Instrumentation Products



FLP RPM Indicator

Model: PRXFLRPMI



FLP 8 Channel Data Logger

Model: PRXFLP8CDL



FLP 3 Channel Scanner

Model: PRXFLPI3CS



FLP Vacuum Indicator

Model: PRXFLPVI



FLP RTD Sensor

Model: PRXFLPRTDS



FLP Oxygen Monitor

Model: PRXFLPOM



FLP Digital Synchronized Clocks

Model: PRXFLPDSC

Industrial Lighting



Clean Room

Model: PRXCL
Power Range: 30W–80W
Efficacy: Up to 140lm/W



WP High Bay Pro

Model: PRXWPHBP
Power Range: 50W–200W
Efficacy: Up to 200lm/W



WP Batten

Model: PRXWPB
Power Range: 20W–40W
Efficacy: Up to 140lm/W



WP Well Glass

Model: PRXWPWG
Power Range: 30W-70W
Efficacy: Up to 140lm/W



WP Well Glass PC Bowl

Model: PRXWPWG - PC
Power Range: 30W-70W
Efficacy: Up to 140lm/W



WP High Bay COB

Model: PRXWPHBCOB
Power Range: 45W-200W
Efficacy: Up to 150lm/W



WP Flood Light Back Choke

Model: PRXWPFLBC
Power Range: 60W-350W
Efficacy: Up to 140lm/W



WP Flood Light Slim

Model: PRXWPFL
Power Range: 30W-250W
Efficacy: Up to 140lm/W



WP Flood Light COB

Model: PRXWPFLCOB
Power Range: 100W-400W
Efficacy: Up to 150lm/W



WP Street Light Glass Model

Model: PRXSLG
Power Range: 24W-250W
Efficacy: Up to 140lm/W



WP Flood Light High Power

Model: PRXWPFLBCHP
Power Range: 70W-400W
Efficacy: Up to 200lm/W



WP Street Light Lens Model

Model: PRXSLL
Power Range: 24W-150W
Efficacy: Up to 140lm/W



WP Street Light COB

Model: PRXSLCOB
Power Range: 45W-100W
Efficacy: Up to 140lm/W



WP High Bay

Model: PRXWPHB
Power Range: 50W-220W
Efficacy: Up to 140lm/W



WP High Bay UFO

Model: PRXWPUFO
Power Range: 50W-180W
Efficacy: Up to 140lm/W

Additional Products Available

- FLP Camera Enclosures
- FLP Aviation Lights
- FLP Insect Catchers
- FLP Hand Lamp
- WP High Lumen High Bay Lights
- WP Well Glass (Wire Guard Model)

Customized solutions are also available. Please contact us for your specific requirements

Our Commitment

At Praxon Industries LLP, our goal is to provide reliable and efficient solutions for hazardous area and industrial lighting applications. We work closely with our customers to understand their requirements and deliver products and solutions that best meet their operational needs. Through quality, safety, and dependable service, we are committed to building long-term relationships based on trust and performance.

:: Certificates ::



:: Corporate Office ::

117, Siddharth Complex, RC Dutt Road, Alkapuri, Vadodara – 390007, Gujarat, India

:: Registered Office ::

427, Florence Pride, Sun Pharma Road, Atladra, Vadodara – 390012, Gujarat, India